



LED CORN BULB

Φ 95mm 360° 27W-75W K10 SERIES



FEATURES




Light effect	150LM/W±10%
Waterproof	IP65
Applied to	Complete Enclosed fixture
Surge Voltage	6000V
Warranty	5Years
Replace	HID/HPS/MHL/CFL retrofit lamps
Certification	




Long Lifespan of 10years



Big Saving(88%) on Electricity Costs



Reliability Test










Usable in Enclosed



Omni Wide Angle




SPECIFICATION


Model No	JP360D-K10-27W	JP360D-K10-36W	JP360D-K10-45W	JP360D-K10-54W	JP360D-K10-75W
Input Voltage	100-277V, AC 50-60Hz				
LED Qty	180pcs 2835	234pcs 2835	306pcs 2835	360pcs 2835	504pcs 2835
Rated Power	27W	36W	45W	54W	75W
Luminous Flux	4050lm±10%	5400lm±10%	6750lm±10%	8100lm±10%	11250lm±10%
Dimension(mm)	φ95*185mm	φ95*210mm	φ95*235mm	φ95*260mm	φ95*305mm
Color Temperature	2700-6500K				
CRI	Ra>80				
Power Factor	>0.9				
Working Temperature	-30°C ~ 55°C				
Storage Temperature	-40°C ~ 85°C				
Beam Angle	360°				
IP Rating	IP65				
Lifespan	50,000hrs				
Certificates and qualifications	      				
Base type	E26, E27, E39, E40				
Lamp Head Color	White or gray, customized color				




PHOTOMETRY




27W




36W



45W




54W



75W

DIMENSION





PACKING

Model No	JP360D-K10-27W	JP360D-K10-36W	JP360D-K10-45W	JP360D-K10-54W	JP360D-K10-75W
Net weight	0.76kg	0.83g	0.90kg	1.1kg	1.3kg
Inner box size	110*110*235	110*110*260	110*110*285	110*110*310	110*110*355
G.W/PC	0.855kg	0.935kg	1kg	1.2kg	1.4kg
Carton size	456*342*255	456*342*280	456*342*305	456*342*330	456*342*375
G.W./CTN	10.8kg	11.8kg	12.68kg	15.1kg	17.5kg
Packing Q'ty.	12pcs/carton				
Packing way	<p>The diagram illustrates the packing process for the light bulbs. It starts with a single light bulb being inserted into a protective sleeve. This assembly is then placed into a 3x4 grid of 12 pieces per carton. The final step shows the carton being closed.</p>				

JOYTECH PRODUCTS CO., LTD

1F, No.16, Lane 27, Sec.2 Chung-hsing South Rd., Taipei 100, Taiwan, R.O.C

Tel : 886-2-89582899 Fax : 886-2-89416778

E-Mail : sales@joytech-jpa.com.tw Website : www.joytech-jpa.com.tw



Joytech Products Co., Ltd.
